

SCOTLAND - CLYDEBANK (ROTHESAY DOCK)

LAT 55°54'N LONG 4°24'W

TIME ZONE UT(GMT)

TIMES AND HEIGHTS OF HIGH AND LOW WATERS

YEAR 2022

JANUARY			FEBRUARY			MARCH			APRIL		
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1	0437 0.8	16	0527 1.1	1	0038 4.3	16	0050 4.0	1	0517 1.0	16	0528 1.1
	1128 4.3		1154 4.3		0615 0.8		0628 1.0		1203 4.4		1149 4.2
SA	1710 0.7	SU	1751 1.1	TU	1255 4.6	W	1245 4.3	TU	1744 0.4	W	1748 0.9
	2347 4.4			●	1843 0.3	○	1846 0.9			●	1847 0.1
2	0532 0.7	17	0024 4.0	2	0125 4.3	17	0122 4.0	2	0034 4.2	17	0029 4.0
	1215 4.5		0607 1.0		0702 0.7		0701 0.9		0605 0.7		0604 0.9
SU	1802 0.5	M	1229 4.4	W	1340 4.7	TH	1319 4.4	W	1246 4.6	TH	1222 4.3
●		○	1827 1.1		1929 0.1		1915 0.8	●	1830 0.1		1820 0.8
3	0036 4.5	18	0058 4.0	3	0210 4.3	18	0155 4.0	3	0116 4.2	18	0101 4.1
	0623 0.7		0643 1.0		0747 0.6		0732 0.8		0648 0.6		0635 0.8
M	1300 4.7	TU	1301 4.4	TH	1424 4.7	F	1356 4.5	TH	1328 4.7	F	1257 4.4
	1852 0.4		1859 1.0		2013 0.1		1945 0.7		1911 0.0	○	1849 0.6
4	0125 4.5	19	0132 4.0	4	0252 4.3	19	0230 4.1	4	0155 4.2	19	0132 4.1
	0712 0.7		0717 1.0		0829 0.6		0806 0.7		0727 0.5		0706 0.7
TU	1345 4.8	W	1335 4.5	F	1506 4.7	SA	1435 4.6	F	1408 4.7	SA	1334 4.5
	1941 0.3		1931 1.0		2055 0.2		2019 0.6		1950 0.1		1919 0.5
5	0213 4.5	20	0208 4.0	5	0330 4.3	20	0306 4.2	5	0231 4.2	20	0206 4.2
	0801 0.8		0752 1.0		0909 0.7		0843 0.7		0803 0.5		0740 0.6
W	1431 4.8	TH	1413 4.5	SA	1545 4.7	SU	1515 4.6	SA	1446 4.6	SU	1413 4.6
	2030 0.3		2004 0.9		2135 0.4		2056 0.5		2026 0.2		1954 0.4
6	0301 4.4	21	0246 4.0	6	0407 4.2	21	0342 4.2	6	0304 4.3	21	0240 4.3
	0848 0.9		0829 1.0		0946 0.9		0923 0.7		0837 0.6		0818 0.5
TH	1517 4.7	F	1453 4.5	SU	1622 4.5	M	1552 4.6	SU	1520 4.6	M	1451 4.7
	2117 0.4		2041 0.8		2215 0.6		2137 0.5		2101 0.4		2032 0.4
7	0346 4.3	22	0326 4.0	7	0444 4.1	22	0419 4.2	7	0336 4.3	22	0316 4.4
	0935 1.0		0908 0.9		1023 1.1		1006 0.8		0909 0.7		0858 0.5
F	1601 4.6	SA	1533 4.5	M	1658 4.3	TU	1631 4.6	M	1552 4.5	TU	1530 4.7
	2205 0.6		2122 0.7		2257 0.9		2221 0.7		2137 0.6		2113 0.5
8	0430 4.1	23	0406 4.0	8	0523 4.0	23	0456 4.1	8	0409 4.2	23	0351 4.4
	1021 1.2		0950 0.9		1102 1.3		1054 1.0		0943 0.8		0941 0.6
SA	1645 4.5	SU	1613 4.5	TU	1738 4.1	W	1709 4.4	TU	1624 4.3	W	1606 4.6
	2253 0.8		2204 0.7	⌋	2345 1.2	⌋	2311 0.9		2215 0.8		2156 0.7
9	0518 4.0	24	0445 4.0	9	0607 3.8	24	0536 3.9	9	0441 4.2	24	0427 4.3
	1108 1.4		1036 1.0		1151 1.5		1155 1.2		1020 1.0		1029 0.9
SU	1734 4.2	M	1653 4.4	W	1823 3.8	TH	1751 4.1	W	1659 4.1	TH	1644 4.4
⌋	2348 1.0		2251 0.8						2258 1.2		2244 1.1
10	0611 3.8	25	0528 3.9	10	0045 1.5	25	0014 1.2	10	0517 4.0	25	0504 4.1
	1206 1.6		1128 1.1		0701 3.7		0624 3.7		1104 1.3		1129 1.2
M	1830 4.0	TU	1735 4.2	TH	1300 1.7	F	1309 1.3	TH	1740 3.8	F	1724 4.1
		⌋	2347 0.9		1920 3.6		1840 3.8	⌋	2350 1.5	⌋	2346 1.5
11	0050 1.2	26	0616 3.8	11	0158 1.6	26	0133 1.4	11	0559 3.8	26	0545 3.8
	0711 3.7		1230 1.3		0806 3.6		0729 3.6		1202 1.6		1256 1.4
TU	1318 1.7	W	1823 4.1	F	1438 1.8	SA	1429 1.3	F	1830 3.5	SA	1810 3.7
	1933 3.8				2034 3.4		1938 3.6				
12	0156 1.3	27	0051 1.1	12	0316 1.6	27	0300 1.5	12	0057 1.8	27	0126 1.7
	0810 3.7		0719 3.7		0924 3.7		1016 3.7		0657 3.6		0637 3.5
W	1427 1.6	TH	1338 1.3	SA	1558 1.6	SU	1549 1.1	SA	1317 1.8	SU	1427 1.3
	2038 3.7		1922 3.9		2230 3.5		2254 3.8		1941 3.3		2138 3.5
13	0256 1.3	28	0200 1.1	13	0420 1.4	28	0418 1.3	13	0226 1.8	28	0301 1.6
	0912 3.8		0846 3.7		1044 3.9		1116 4.1		0823 3.6		1006 3.7
TH	1529 1.5	F	1446 1.2	SU	1652 1.3	M	1653 0.7	SU	1526 1.7	M	1541 1.0
	2151 3.7		2052 3.8		2333 3.7		2348 4.0		2150 3.3		2247 3.8
14	0352 1.2	29	0311 1.2	14	0510 1.2	29	0510 1.2	14	0354 1.6	29	0410 1.3
	1015 3.9		1017 3.9		1136 4.1				1007 3.7		1101 4.1
F	1624 1.4	SA	1555 1.0	M	1736 1.1				1627 1.4	TU	1639 0.6
	2257 3.8		2243 3.9						2312 3.6		2336 4.0
15	0443 1.2	30	0422 1.1	15	0015 3.9	30	0015 3.9	15	0447 1.3	30	0503 0.9
	1110 4.1		1120 4.1		0552 1.1				1109 4.0		1147 4.4
SA	1711 1.2	SU	1659 0.8	TU	1213 4.3				1711 1.1	W	1727 0.3
	2346 3.9		2347 4.1		1814 1.0				2354 3.9		
		31	0522 0.9							31	0017 4.2
			1210 4.4								0548 0.7
			M 1754 0.5								TH 1228 4.5
											1809 0.1

FOR INTERMEDIATE HEIGHTS, USERS ARE ADVISED TO CONSULT HOURLY-HEIGHT PREDICTIONS (OR TIME INTERVALS OF LESS THAN AN HOUR) OWING TO THE COMPLEX SHAPE OF THE TIDAL CURVE BETWEEN THE TIMES AND HEIGHT OF HIGH AND LOW WATER.

SCOTLAND - CLYDEBANK (ROTHESAY DOCK)

LAT 55°54'N LONG 4°24'W

TIME ZONE UT(GMT)

TIMES AND HEIGHTS OF HIGH AND LOW WATERS

YEAR 2022

MAY			JUNE			JULY			AUGUST					
	Time	m		Time	m		Time	m		Time	m			
1	0056	4.2	16	0031	4.4	1	0139	4.4	16	0210	4.7			
SU	0637	0.6	M	0614	0.4	W	0732	0.9	SA	0807	0.1			
	1315	4.3	O	1242	4.5	TH	1405	3.9	M	1504	3.9			
	1853	0.4	1830	0.5	1936	0.8	1948	0.7	2027	0.7	2048	0.9		
												2127	0.8	
2	0127	4.3	17	0110	4.5	2	0214	4.4	17	0256	4.8			
M	0707	0.6	TU	0656	0.3	TH	0806	0.9	SU	0855	0.2			
	1348	4.3	1324	4.6	1425	4.0	1443	3.9	TU	1525	4.3			
	1925	0.5	1913	0.5	2013	0.9	2034	1.0	2114	0.7	2126	0.9		
												2162	4.2	
												2204	0.9	
3	0158	4.3	18	0149	4.6	3	0252	4.4	18	0340	4.7			
TU	0736	0.6	0740	0.3	0822	0.8	0844	0.9	0943	0.3	0938	0.7		
	1418	4.2	1407	4.7	1502	4.0	1529	4.3	1609	4.2	1623	3.9		
	1958	0.7	1959	0.6	2053	1.0	2131	0.9	2200	0.9	2209	0.9		
												2242	1.2	
4	0230	4.4	19	0229	4.7	4	0331	4.3	19	0423	4.5			
W	0807	0.6	0827	0.4	0902	0.9	0924	0.9	1031	0.5	1023	0.8		
	1451	4.2	1450	4.6	1543	3.9	1606	3.8	1653	4.0	1702	3.9		
	2034	0.8	2047	0.8	2136	1.2	2156	1.1	2245	1.0	2257	1.0		
												2327	1.4	
5	0302	4.5	20	0309	4.6	5	0412	4.2	20	0508	4.3			
TH	0843	0.7	0917	0.5	0945	1.0	1007	0.9	1122	0.8	1115	0.9		
	1526	4.1	1532	4.4	1625	3.7	1712	3.9	1740	3.9	1746	3.8		
	2113	1.0	2137	1.0	2221	1.3	2320	1.3	2336	1.3	2355	1.2		
												0032	1.7	
6	0336	4.4	21	0349	4.5	6	0453	4.1	21	0558	4.1			
F	0921	0.9	1013	0.8	1033	1.1	1057	0.9	1221	1.0	1219	1.1		
	1603	4.0	1616	4.2	1713	3.6	1737	3.6	1833	3.8	1838	3.7		
	2156	1.2	2233	1.3	2313	1.5	2334	1.2				1931	3.7	
												0032	1.7	
7	0411	4.2	22	0431	4.2	7	0538	3.9	22	0639	1.5			
SA	1004	1.1	1118	1.0	1129	1.2	1155	1.0	0659	3.8	0648	3.9		
	1645	3.7	1705	3.9	1814	3.4	1833	3.6	1325	1.2	1326	1.1		
	2244	1.5	2342	1.5	1933	3.7	1933	3.7	1931	3.7	1946	3.6		
												2045	3.7	
8	0449	4.0	23	0519	3.9	8	0607	3.7	23	0715	1.5			
SU	1056	1.3	1236	1.0	0607	3.7	0804	3.9	0804	3.7	0802	3.8		
	1734	3.5	1851	3.6	1233	1.2	1410	0.9	1427	1.2	1432	1.2		
	2342	1.7			1930	3.4	2033	3.7	2030	3.7	2120	3.7		
												2216	3.8	
9	0532	3.7	24	0103	1.6	9	0137	1.3	24	0258	1.5			
M	1201	1.5	0737	3.7	0725	3.7	0744	3.8	0918	3.6	0958	3.8		
	1849	3.3	1347	0.9	1337	1.1	1506	0.9	1526	1.2	1541	1.2		
			2035	3.6	2038	3.6	2132	3.7	2138	3.7	2246	4.0		
												2319	4.1	
10	0050	1.8	25	0213	1.5	10	0217	1.4	25	0400	1.4			
TU	0642	3.5	0858	3.9	0839	3.8	1011	3.9	1037	3.7	1117	4.0		
	1313	1.5	1448	0.8	1437	1.0	1558	0.8	1621	1.2	1648	1.0		
	2025	3.4	2137	3.7	2139	3.7	2228	3.9	2246	3.9	2343	4.3		
												0521	1.1	
11	0202	1.7	26	0314	1.3	11	0316	1.2	26	0453	1.2			
W	0820	3.6	0958	4.0	0945	3.9	1104	4.0	1132	3.8	1211	4.2		
	1425	1.3	1542	0.6	1535	0.8	1646	0.8	1710	1.1	1746	0.9		
	2137	3.6	2229	3.9	2234	3.9	2316	4.0	2338	4.1			0000	4.2
												0600	1.0	
12	0309	1.5	27	0409	1.0	12	0412	0.9	27	0538	1.1			
TH	0934	3.7	1049	4.2	1043	4.1	1148	4.0	1214	3.9	1214	3.9		
	1529	1.1	1631	0.5	1630	0.7	1729	0.8	1754	1.0	1259	4.3		
	2232	3.8	2312	4.0	2322	4.2	2358	4.2			1837	0.7		
												1847	1.0	
13	0403	1.2	28	0456	0.8	13	0504	0.6	28	0617	4.3			
F	1030	4.0	1133	4.2	1134	4.3	1226	4.0	0618	1.0	0705	0.1		
	1621	0.9	1714	0.5	1721	0.6	1808	0.9	1249	3.9	1345	4.3		
	2316	4.0	2349	4.1					1833	1.0	1923	0.6		
												0100	4.4	
14	0450	0.9	29	0537	0.7	14	0005	4.4	29	0049	4.3			
SA	1117	4.2	1212	4.2	0553	0.4	0629	0.9	0652	0.9	0750	0.0		
	1705	0.7	1753	0.6	1221	4.5	1258	3.9	1319	3.9	1428	4.3		
	2354	4.2			1810	0.6	1845	0.9	1907	1.0	2007	0.6		
												0211	4.5	
15	0532	0.6	30	0024	4.2	15	0048	4.5	30	0120	4.4			
SU	1200	4.4	0613	0.7	0640	0.3	0701	0.9	0718	0.2	0721	0.9		
	1747	0.5	1247	4.1	1306	4.5	1330	3.9	1350	4.4	1350	3.9		
			1828	0.7	1859	0.6	1920	1.0	1938	0.7	1939	1.0		
												2048	0.6	
			31	0057	4.3				31	0154	4.4			
			0644	0.7					SU	0750	0.9			
			1319	4.1						1425	3.9			
			1901	0.8						2012	1.0	0250	4.6	
												0829	0.6	
												1516	4.2	
												2057	0.8	

FOR INTERMEDIATE HEIGHTS, USERS ARE ADVISED TO CONSULT HOURLY-HEIGHT PREDICTIONS (OR TIME INTERVALS OF LESS THAN AN HOUR) OWING TO THE COMPLEX SHAPE OF THE TIDAL CURVE BETWEEN THE TIMES AND HEIGHT OF HIGH AND LOW WATER.

SCOTLAND - CLYDEBANK (ROTHESAY DOCK)

LAT 55°54'N LONG 4°24'W

TIME ZONE UT(GMT)

TIMES AND HEIGHTS OF HIGH AND LOW WATERS

YEAR 2022

SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	
1	0328 4.6	16	0404 4.5	1	0341 4.7	16	0409 4.2	1	0440 4.2	16	0512 3.6	
	0908 0.6		0954 1.0		0928 0.9		1003 1.4		1109 1.8		1122 1.9	
TH	1553 4.2	F	1619 4.3	SA	1602 4.5	SU	1620 4.4	TU	1655 4.2	W	1713 4.0	
	2138 0.8		2201 1.1		2200 1.0		2211 1.4)	(2336 1.7	
2	0405 4.6	17	0438 4.2	2	0417 4.5	17	0446 3.9	2	0010 1.4	17	0632 3.4	
	0951 0.8		1036 1.3		1015 1.2		1052 1.8		0525 3.8		1231 2.0	
F	1630 4.2	SA	1654 4.2	SU	1637 4.3	M	1655 4.1	W	1243 1.9	TH	1813 3.8	
	2223 1.0	(2242 1.4		2256 1.3	(2301 1.7		1741 3.9		2019 4.0	
3	0442 4.4	18	0515 3.9	3	0455 4.2	18	0530 3.6	3	0138 1.3	18	0050 1.7	
	1039 1.0		1129 1.7		1114 1.6		1156 2.1		0846 3.7		0812 3.5	
SA	1708 4.1	SU	1732 4.0	M	1715 4.1	TU	1736 3.9	TH	1408 1.8	F	1346 1.9	
)	2319 1.2		2336 1.7))			2059 3.9		1952 3.7	
4	0520 4.2	19	0602 3.6	4	0013 1.5	19	0012 1.9	4	0247 1.0	19	0210 1.6	
	1141 1.3		1241 2.0		0538 3.9		0704 3.4		0949 3.9		0918 3.7	
SU	1749 3.9	M	1823 3.8	TU	1244 1.9	W	1328 2.1	F	1513 1.5	SA	1450 1.7	
					1759 3.8		1857 3.7		2201 4.2		2105 3.9	
5	0031 1.4	20	0059 1.9	5	0146 1.5	20	0216 1.9	5	0344 0.7	20	0312 1.4	
	0605 3.9		0728 3.3		0633 3.6		0858 3.5		1039 4.2		1011 3.9	
M	1258 1.5	TU	1422 2.0	W	1418 1.8	TH	1454 1.9	SA	1608 1.2	SU	1543 1.5	
	1840 3.7		1955 3.7		2122 3.8		2050 3.7		2251 4.5		2204 4.1	
6	0149 1.4	21	0309 1.8	6	0305 1.2	21	0326 1.6	6	0434 0.5	21	0402 1.2	
	0704 3.7		0937 3.4		1014 3.9		1010 3.7		1121 4.3		1054 4.1	
TU	1417 1.6	W	1534 1.7	TH	1532 1.5	F	1549 1.7	SU	1656 1.0	M	1629 1.2	
	2116 3.7		2137 3.8		2228 4.1		2202 4.0		2335 4.6		2254 4.3	
7	0308 1.2	22	0407 1.5	7	0408 0.8	22	0414 1.3	7	0518 0.4	22	0445 1.0	
	1019 3.7		1052 3.7		1105 4.2		1058 4.0		1157 4.4		1132 4.3	
W	1536 1.4	TH	1627 1.5	F	1631 1.2	SA	1634 1.4	M	1738 0.8	TU	1711 1.0	
	2243 4.0		2248 4.0		2317 4.5		2251 4.2				2338 4.4	
8	0420 0.9	23	0454 1.2	8	0459 0.4	23	0454 1.1	8	0014 4.6	23	0526 0.8	
	1119 4.1		1135 4.0		1148 4.3		1135 4.2		0558 0.4		1209 4.5	
TH	1643 1.2	F	1711 1.2	SA	1719 0.9	SU	1711 1.2	TU	1230 4.4	W	1752 0.8	
	2335 4.4		2331 4.2		2330 4.3			○	1816 0.8	●		
9	0516 0.5	24	0532 1.0	9	0000 4.7	24	0527 0.9	9	0051 4.5	24	0020 4.6	
	1206 4.3		1210 4.1		0544 0.2		1206 4.3		0634 0.5		0607 0.7	
F	1736 0.9	SA	1747 1.1	SU	1226 4.4	M	1744 1.0	W	1302 4.5	TH	1246 4.6	
				○	1802 0.7				1849 0.8		1833 0.7	
10	0019 4.6	25	0003 4.4	10	0040 4.7	25	0006 4.5	10	0126 4.5	25	0102 4.7	
	0604 0.2		0605 0.9		0623 0.2		0558 0.8		0707 0.7		0650 0.7	
SA	1248 4.4	SU	1239 4.2	M	1301 4.4	TU	1236 4.4	TH	1335 4.5	F	1326 4.7	
○	1822 0.7	●	1818 1.0		1840 0.7	●	1818 0.8		1921 0.8		1917 0.6	
11	0102 4.8	26	0034 4.4	11	0118 4.7	26	0044 4.6	11	0159 4.4	26	0145 4.7	
	0646 0.1		0632 0.8		0659 0.3		0630 0.7		0741 0.8		0735 0.8	
SU	1328 4.4	M	1306 4.2	TU	1333 4.4	W	1310 4.5	F	1409 4.6	SA	1406 4.8	
	1903 0.6		1846 0.9		1914 0.7		1853 0.7		1953 0.9		2004 0.6	
12	0142 4.8	27	0109 4.5	12	0153 4.7	27	0123 4.7	12	0234 4.3	27	0228 4.7	
	0726 0.1		0657 0.7		0733 0.4		0706 0.7		0818 1.0		0822 1.0	
M	1404 4.3	TU	1337 4.3	W	1405 4.5	TH	1346 4.6	SA	1444 4.6	SU	1447 4.8	
	1941 0.6		1917 0.8		1946 0.7		1932 0.7		2029 1.0		2054 0.7	
13	0221 4.8	28	0147 4.6	13	0227 4.6	28	0203 4.8	13	0309 4.2	28	0311 4.6	
	0804 0.2		0728 0.7		0807 0.6		0746 0.7		0857 1.2		0913 1.2	
TU	1438 4.4	W	1413 4.4	TH	1438 4.5	F	1424 4.7	SU	1519 4.6	M	1529 4.7	
	2017 0.7		1952 0.7		2018 0.8		2014 0.7		2108 1.1		2147 0.9	
14	0257 4.7	29	0226 4.7	14	0300 4.5	29	0243 4.8	14	0346 4.1	29	0354 4.4	
	0840 0.4		0804 0.6		0843 0.8		0830 0.9		0940 1.4		1006 1.4	
W	1512 4.4	TH	1449 4.5	F	1512 4.5	SA	1502 4.7	M	1554 4.4	TU	1611 4.5	
	2050 0.8		2031 0.7		2053 0.9		2100 0.8		2150 1.3		2246 1.0	
15	0330 4.6	30	0304 4.8	15	0334 4.4	30	0321 4.7	15	0426 3.9	30	0441 4.1	
	0916 0.6		0844 0.7		0921 1.1		0916 1.1		1026 1.7		1107 1.6	
TH	1546 4.4	F	1526 4.5	SA	1546 4.5	SU	1539 4.6	TU	1631 4.2	W	1657 4.2	
	2124 0.9		2113 0.8		2130 1.1		2150 1.0		2237 1.5)	2357 1.1	
											2303 1.3	
						31	0400 4.5				31	0032 1.0
							1007 1.4					0657 3.8
							M 1617 4.4					SA 1258 1.5
							2249 1.3					1922 4.0

FOR INTERMEDIATE HEIGHTS, USERS ARE ADVISED TO CONSULT HOURLY-HEIGHT PREDICTIONS (OR TIME INTERVALS OF LESS THAN AN HOUR) OWING TO THE COMPLEX SHAPE OF THE TIDAL CURVE BETWEEN THE TIMES AND HEIGHT OF HIGH AND LOW WATER.

CLYDEBANK (ROTHESAY DOCK)

British Summer Time: 01:00 27 March 2022 – 01:00 30 October 2022