



**NOTICE TO MARINERS**

**No 29/21**

**HOLY LOCH – SANDBANK – DRAUGHT TABLE**

**Chart 3746**

Mariners are advised that for vessels berthing and unberthing at Sandbank the following table should be consulted to ensure sufficient under keel clearance for the draught of the vessel. The values below have been calculated using the latest available survey data.

Reference should also be made to the latest hydrographic survey drawings for Holy Loch:

- HM2000-1-2 Sandbank and Approaches
- HM2000-1-1 Holy Loch Anchorage and Approaches

These are published at <https://www.peelports.com/marine-information?port=clydeport>

**Control Depth: 3.70 m**

**(Jul 2020)**

<b>Draught</b>	<b>Safety Factor 5% Draught</b>	<b>Manoeuvring min HOT* Req.</b>
<b>3.60 m</b>	<b>0.18 m</b>	<b>0.08 m</b>
<b>3.65 m</b>	<b>0.18 m</b>	<b>0.13 m</b>
<b>3.70 m</b>	<b>0.19 m</b>	<b>0.19 m</b>
<b>3.75 m</b>	<b>0.19 m</b>	<b>0.24 m</b>
<b>3.80 m</b>	<b>0.19 m</b>	<b>0.29 m</b>
<b>3.85 m</b>	<b>0.19 m</b>	<b>0.34 m</b>
<b>3.90 m</b>	<b>0.20 m</b>	<b>0.40 m</b>
<b>3.95 m</b>	<b>0.20 m</b>	<b>0.45 m</b>
<b>4.00 m</b>	<b>0.20 m</b>	<b>0.50 m</b>
<b>4.05 m</b>	<b>0.20 m</b>	<b>0.55 m</b>
<b>4.10 m</b>	<b>0.21 m</b>	<b>0.61 m</b>
<b>4.15 m</b>	<b>0.21 m</b>	<b>0.66 m</b>
<b>4.20 m</b>	<b>0.21 m</b>	<b>0.71 m</b>
<b>4.25 m</b>	<b>0.21 m</b>	<b>0.76 m</b>
<b>4.30 m</b>	<b>0.22 m</b>	<b>0.82 m</b>
<b>4.35 m</b>	<b>0.22 m</b>	<b>0.87 m</b>
<b>4.40 m</b>	<b>0.22 m</b>	<b>0.92 m</b>

Charlie Simcox, Senior Manager Marine Operations  
Peel Ports Clydeport, Marine Department,  
Greenock Ocean Terminal, Patrick Street, GREENOCK, PA16 8UU  
Tel: 0151-949 6649  
Email: [clydemarinemanagers@peelports.com](mailto:clydemarinemanagers@peelports.com)

NTM: 29/21  
Page: 1 of 3  
Valid from: 5th May 2021  
Expiry Date: 31<sup>st</sup> December 2021

4.45 m	0.22 m	0.97 m
4.50 m	0.23 m	1.02 m
4.55 m	0.23 m	1.08 m
4.60 m	0.23 m	1.13 m
4.65 m	0.23 m	1.18 m
4.70 m	0.24 m	1.23 m
4.75 m	0.24 m	1.29 m
4.80 m	0.24 m	1.34 m
4.85 m	0.24 m	1.39 m
4.90 m	0.24 m	1.44 m
4.95 m	0.25 m	1.50 m
5.00 m	0.25 m	1.55 m
5.05 m	0.25 m	1.60 m
5.10 m	0.26 m	1.65 m
5.15 m	0.26 m	1.71 m
5.20 m	0.26 m	1.76 m
5.25 m	0.26 m	1.81 m
5.30 m	0.27 m	1.86 m
5.35 m	0.27 m	1.92 m
5.40 m	0.27 m	1.97 m
5.45 m	0.27 m	2.02 m
5.50 m	0.28 m	2.07 m
5.55 m	0.28 m	2.13 m
5.60 m	0.28 m	2.18 m
5.65 m	0.28 m	2.23 m
5.70 m	0.29 m	2.28 m
5.75 m	0.29 m	2.34 m
5.80 m	0.29 m	2.39 m
5.85 m	0.29 m	2.44 m
5.90 m	0.29 m	2.49 m
5.95 m	0.30 m	2.55 m
6.00 m	0.30 m	2.60 m
6.05 m	0.30 m	2.65 m
6.10 m	0.30 m	2.70 m
6.15 m	0.31 m	2.76 m
6.20 m	0.31 m	2.81 m
6.25 m	0.31 m	2.86 m
6.30 m	0.32 m	2.91 m
6.35 m	0.32 m	2.97 m



<b>6.40 m</b>	<b>0.32 m</b>	<b>3.02 m</b>
<b>6.45 m</b>	<b>0.32 m</b>	<b>3.07 m</b>
<b>6.50 m</b>	<b>0.33 m</b>	<b>3.12 m</b>

*\* Closest Tidal predictions are Greenock*

Estuary Radio may be contacted on VHF 12 or on ☎ 0151 949 6651.